



Application Serial No. 10/526,756  
Reply to Office Action of December 1, 2006

PATENT  
Docket: CU-4104

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**


APPLICANT: Agne Nilsson ) Group Art Unit: 3749  
SERIAL NO: 10/526,756 ) Examiner: Patrick O'Reilly  
FILED: March 4, 2005 )  
TITLE: SYSTEM, DEVICE AND METHOD FOR VENTILATION

**Mail Stop Amendment**

THE COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certification under 37 C.F.R. §1.8(a)**

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with The United States Postal Service with sufficient postage as first class mail in an envelope addressed to The Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450 on June 1, 2007.

  
Benjamin Horton

**AMENDMENT**

Sir:

This is in response to the Office Action dated December 1, 2006 and having a shortened statutory period for reply set to expire on March 1, 2006. Applicant submits the following responsive amendment in the above-identified application. Also submitted with this amendment is a Request for three-month Extension with the required fees, to extend the period of reply to June 1, 2007. Applicant believes this amendment places the application in better condition for allowance.

**Amendments to the Claims** are reflected in the listing of claims, which begins on page 3 of this paper.

**Amendments to the Specification** begin on page 7 of this paper.

**Amendments to the Abstract** begin on page 10 of this paper.

**Amendment to the Drawings:** Please replace the previously filed drawing Figures 2a and 2b with the clean version of the amended drawing Figures 2a and 2b

Figures 2a and 2b with the clean version of the amended drawing Figures 2a and 2b attached hereto in an appendix following the last page of this paper.

**Remarks/Arguments** begin on page 11 of this paper.